



SPECIFICATIONS



ARTICLE

Designation : **AlphaTec® 37185 glove**

Code bobet :

6705 : S.7 green

6115 : S.8 green

821 : S.9 green

5958 : S.10 green

9237 : S.11 green

Selling Unit : **pair**

Non-contractual pictures



CHARACTERISTICS



- Specifications: Non-suede, bonded, unsupported, straight edge.
- Glove material: Nitrile
- Length: 457 mm
- Thickness: 0.56 mm
- Possible Allergens: Zinc diethyldithiocarbamate (Only a few users may be sensitive to one or more of these ingredients and may have irritant and / or allergic reactions.)
- No suede cotton lining to reduce the risk of contamination by lint residue: the ideal solution for production environments sensitive to impurities.
- Sandblasted surface finish giving the glove a smooth surface which reduces rejections due to the marking of fragile parts.
- Reusable with unmatched abrasion resistance
- User comfort

APPLICATIONS :

Applications in wet or dry environments requiring protection against chemicals: Chemicals, petrochemicals, metallurgy, handling of agrochemicals, printing - Food processing

RECOMMENDED STORAGE / APPLICATION :

- Store the gloves out of direct sunlight in a cool, dry place.
- Keep them away from exposure to ozone or any source of ignition.
- Hand protection.
- Suitable for contact with any food.
- Do not use against flames or temperatures of < -25 °C or > 100 °C.
- Poor towards aromatic hydrocarbons, chlorine solvents and many ketones.

STANDARDS :

Complies with EU regulation 2016/425 relating to personal protective equipment (Category III)

Complies with European standards:

- General requirements: EN ISO 21420:2020
- Mechanical risks: EN 388:2016 + A1:2018 4102X
- Chemical risks: EN ISO 374-1:2016 - Type A - AGJKLPT
- Microorganism risks: EN ISO 374-5:2016

- Pesticide risks: ISO 18889 G2

Complies with the decree of August 5, 2020, relating to rubber materials and objects intended to come into contact with foodstuffs



0493



G2



4102X



Type A -AGJKLPT

AlphaTec® Solvex® 37-185

FICHE D'INFORMATION SUR LA DURABILITÉ DES PRODUITS



ANSELL EARTH

Ansell Earth représente nos produits qui offrent des avantages environnementaux tout au long de leur cycle de vie.

Production

Fabriqué dans une usine :

- fonctionnant à 59% d'énergie renouvelable
- recyclant min. 14% d'eau pour réduire l'utilisation d'eau douce
- certifiée par Intertek pour avoir détourné >99% des déchets de la décharge
- dotée d'un système de gestion de l'environnement accrédité

Conditionnement

- Recyclable
- La boîte en carton contient min. 80% de matériaux recyclés
- Taille des cartons optimisée pour une expédition efficace

Production

Fabriqué dans une usine :

59%

fonctionnant à 59% d'énergie renouvelable ¹

De la biomasse

14%

recyclant min. 14% d'eau pour réduire l'utilisation d'eau douce ²

Grâce à la technologie de l'osmose inverse

>99%

certifiée par Intertek pour avoir détourné >99% des déchets de la décharge ³

dotée d'un système de gestion de l'environnement accrédité ⁴

Certifié ISO 14001:2015 par BSI

Conditionnement

Recyclable ⁵

Pour les matières plastiques, vérifiez toujours le statut de recyclage des matières plastiques spécifiées dans votre pays, car il se peut qu'elles ne soient pas considérées comme recyclables dans votre pays

min. 80%

La boîte en carton contient min. 80% de matériaux recyclés ⁶

Taille des cartons optimisée pour une expédition efficace ⁷

ENVIRONMENTAL CHARACTERISTICS

AlphaTec® 37185 glove

BOBET codes : 9237, 821, 5958, 6115, 6705

The environmental impacts of this product have been analyzed throughout its life cycle.



RAW MATERIALS

Packaging containing at least 80% recycled content

MANUFACTURING



Manufactured in a factory:

- Using 59% renewable energy from biomass
- Recycling a minimum of 14% water to reduce freshwater use
- Certified by Intertek for diverting over 99% of waste from landfills



SHIPPING

Optimized carton size for efficient shipping



END OF LIFE

Recyclable