

SPECIFICATIONS

ARTICLE

Designation : **AlphaTec® 58201 nitrile glove**

Code bobet :

24308 : S.8

24309 : S.9

24310 : S.10

Selling Unit : **pair**

Non-contractual pictures

**CHARACTERISTICS**

- heat and cold waterproof glove with inner fleece and seamless lining.
- Adhesion and better grip due to its AnsellGrip® technology
- Designed to protect at temperatures from -40°C to 250°C
- Keeps the hands warm in cold conditions and protected against contact heat
- Material : Acrylic, nitrile
- Length : 330mm
- Colour : Green and gray

PERFORMANCES :

Thanks to its unique formulation, the AlphaTec® 58-201 glove is a truly versatile protective solution that can be applied to a wide range of applications and environments

APPLICATIONS :

- All food processing applications that have food contact
- Handling at the exit of the ovens
- Cold Storage

- Seafood processing
- Chemical processing and preparation
- Cleaning, Maintenance

STANDARDS :

In compliance with EU Regulation 2016/425 relating to personal protective equipment (category III)


Complies with the following European standards:

- Mechanical risks : EN 388:2016 + A1:2018 - 3232B
- Thermal risks : EN 407: 2020 - X2XXXX
- Protection against cold : EN 511:2006


Complies with the Order of August 05, 2020, relating to rubber materials and objects in contact with foodstuffs.



0493



EN388:2016 + A1:
2018 - 3232B



EN511 : 2006



EN407:2020
X2XXXX

AlphaTec® 58-201

FICHE D'INFORMATION SUR LA DURABILITÉ DES PRODUITS



ANSELL EARTH

Ansell Earth représente nos produits qui offrent des avantages environnementaux tout au long de leur cycle de vie.

Production

Fabriqué dans une usine :

- fonctionnant à 83% d'énergie renouvelable
- certifiée par Intertek pour avoir détourné >99% des déchets de la décharge
- dotée d'un système de gestion de l'environnement accrédité

Conditionnement

- Recyclable
- La boîte en carton contient min. 45% de matériaux recyclés

Production

Fabriqué dans une usine :

83%

fonctionnant à 83% d'énergie renouvelable ¹

De la biomasse



> 99%

certifiée par Intertek pour avoir détourné >99% des déchets de la décharge ²



dotée d'un système de gestion de l'environnement accrédité ³

Certifié ISO 14001:2015 par SGS



Conditionnement

Recyclable ⁴

Pour les matières plastiques, vérifiez toujours le statut de recyclage des matières plastiques spécifiées dans votre pays, car il se peut qu'elles ne soient pas considérées comme recyclables dans votre pays



min. **45%**

La boîte en carton contient min. 45% de matériaux recyclés ⁵

