

# SPECIFICATIONS



## ARTICLE

Designation : **CREMORNE Shoe S3**

Code bobet :

27333 : S37 | 27341 : S42

27335 : S38 | 27343 : S43

27337 : S39 | 27344 : S44

27338 : S40 | 27346 : S45


27340 : S41 | 27348 : S46

Selling Unit : **pair**

Non-contractual pictures



## CHARACTERISTICS



The NB Cremorne will make you forget traditional safety shoes, offering superior comfort, lightness

- Durable thanks to eTPU reinforcements all around the foot
- Versatile: ideal for frequent walkers, S3 rating
- Guaranteed comfort thanks to the Fresh Foam insole
- Metal-free and ESD compliant: contains no metal components

- Color: Black and gray

## DESCRIPTION :

**Upper :** Low-cut synthetic S3 abrasion-resistant upper

eTPU reinforcements around the entire foot and heel  
 New Balance eTPU logo  
 eTPU toe protector reinforcement  
 Welded construction  
 200J composite toecap  
 Textile laces and lace loops  
 Breathable mesh lining

**Sole :** SR HRO bonded rubber outsole

Unique, highly flexible anti-perforation midsole made from three globally recognized synthetic fibers, 10 times more effective than steel  
 Textile anti-perforation midsole  
 Removable, pre-shaped arch support insole with comfort insert

## STANDARDS :

Compliant with EU Regulation 2016/425 concerning PPE (Personal Protective Equipment)

Compliant with EN ISO 20345:2022 Class I S3L HRO FO SC SR ESD

S3L: Safety toecap + closed rear anti-slip sole + antistatic properties + heel energy absorption + hydrocarbon resistance + water-repellent upper + puncture-resistant sole (wide toe)

HRO: High resistance to sole degradation from heat (resistant up to 300°C)

FO: Sole resistance to contact with hydrocarbons

SC: Abrasion resistance of the toe cap

SR: Slip resistance (ceramic tile + oil)

ESD: Electrostatic Discharge





 **Slip Resistant**

Motif de semelle pour sols humide, glissants et huileux



**Toe Protect**

Protection de l'embout TPU

**HEAT**  
RESISTANCE

Semelle résistante à 300°C pendant 60s

**FRESHFOAM**

Semelle intermédiaire performance NB légère, confortable et durable

<b>EU</b>	<b>40</b>	<b>40.5</b>	<b>41.5</b>	<b>42</b>	<b>42.5</b>	<b>43</b>	<b>44</b>	<b>44.5</b>	<b>45</b>	<b>45.5</b>	<b>46.5</b>	<b>47.5</b>	<b>49</b>	<b>50</b>
US	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	13	14	15
2E (cm)	10.3	10.4	10.5	10.6	10.7	10.8	10.9	11.0	11.1	11.3	11.4	11.6	11.8	