



SPECIFICATIONS

ARTICLE

Designation : **Eco stainless steel suspension rail for Transclair strip**

Code bobet :

19714 : 960 mm

19715 : 1350 mm

19716 : 1920 mm

19717 : 2300 mm

19718 : 2880 mm

Selling Unit : **Unit**

Non-contractual pictures



CHARACTERISTICS

- Austenitic stainless steel DIN 1.4307 (304L)
- Thickness of the stainless steel sheet : 1.5 mm
- Suits for Transclair strips 190x2 standard (code 3573) or low temperature (code 3581)

HOOK (code 19719) to be ordered separately

- Delivered in kit
- Composed of 2 stainless steel pieces : the hook and its plate
- Including 2 rivets D.4 x 10 (code 18615)

ASSEMBLY/SETTING :

- Fixing of the rail under or against the lintel of the opening (fixing holes : D.6 mm)
- Fixing of the strips on the hooks by rivets D.4 mm (supplied with the hooks)

On request for a quote, we can carry out the complete assembly of strip doors (i.e. mounting the strips on the hooks and rail in the desired dimensions and type of covering)

ALIMENTARITY :

In order to guarantee their longevity, our products are made of austenitic stainless steel (food contact), standard 1.4307 (304L).

The assembly of the elements is carried out in our workshops, under a protected atmosphere, according to the T.I.G welding process.

A (mm)	Nombre de crochets pour une rangée (recouvrement bord à bord)	Nombre de crochets pour deux rangées (recouvrement à 100%)	Code BOBET
960	5	9	19714
1350	7	13	19715
1920	10	19	19716
2300	12	23	19717
2880	15	29	19718




CARACTERISTIQUES ENVIRONNEMENTALES

Rail de suspension Eco inox pour lanière Transclair

Codes BOBET : 19714, 19715, 19716, 19717, 19718

Les impacts environnementaux de ce produit ont été analysés le long de son cycle de vie.



MATIERES PREMIERES

- Inox 100% recyclable

FABRICATION



- La production est réalisée par multiple de produit pour optimiser les découpes et réduire les chutes
- Atelier 100% Led
- Technologie responsable : La soudure TIG produit moins de fumée et moins de projection
- Fabrication française



EXPEDITION

- L'emballage garantit uniquement une quantité de matière adéquate minimale
- Les palettes sont d'occasion et composées à 100% de matières recyclées
- Les cartons sont 100% recyclés et recyclables

UTILISATION



- L'inox austénitique garantit la longévité du produit



FIN DE VIE

- Ce produit est recyclable à 100%