

## SPECIFICATIONS

**ARTICLE**Designation : **ELITE Shoe S1P**

Code bobet :

<b>27303 : S37</b>	<b>27310 : S41.5</b>	<b>27316 : S45</b>
<b>27305 : S38</b>	<b>27311 : S42</b>	<b>27318 : S46.5</b>
<b>27307 : S39.5</b>	<b>27313 : S43</b>	<b>27319 : S47.5</b>
<b>27308 : S40</b>	<b>27314 : S44</b>	<b>27320 : S49</b>

Selling Unit : **pair**

Non-contractual pictures

**CHARACTERISTICS**

Protection, comfort, and durability with original New Balance style

- Versatile: Ideal for workers who walk a lot, primarily indoors
- Comfortable thanks to the ACTEVA midsole and comfort insert
- Durable thanks to the robust outsole and reinforced toe and heel
- Metal-free: Contains no metal components
- ESD compliant
- Color: Gray and white

**DESCRIPTION :****Upper :** Abrasion-resistant, flexible leather upper

Closed fit

DEBRIS FREE optimized to prevent debris from entering the shoe

Welded construction

200 J composite toecap

Reinforced TPU toecap protection

PU heel protection with rear pull tab

Textile lacing

Perforated eyelets

Breathable mesh lining

**Sole :** SC SR HRO welded rubber outsole

EVA midsole with New Balance ACTEVA technology provides lasting support and cushioning

Soft, water-resistant, high-performance textile anti-perforation insole

Removable, pre-molded arch support insole with comfort insert

**STANDARDS :**

Compliant with EU Regulation 2016/425 on PPE (Personal Protective Equipment)

Compliant with EN ISO 20345:2022 Class I S1 PL HRO FO SC SR

S1PL: Safety toecap + slip-resistant sole + closed back + antistatic properties + heel energy absorption + hydrocarbon resistance + puncture-resistant sole with wide toe

HRO: High resistance to sole degradation from heat (resistant up to 300°C)

FO: Hydrocarbon resistance

SC: Abrasion resistance of the toe cap

SR: Slip resistance (ceramic tile + oil)





**Debris Free**  
**CONSTRUCTION**

Chaussant fermé  
anti-débris et saletés

**Toe Protect**

Protection de l'embout

**HEAT**  
RESISTANCE

Semelle résistante à  
300°C pendant 60s

**ACTEVA**

Semelle intermédiaire  
en EVA NB, support et confort  
optimal dans la durée

<b>EU</b>	<b>40</b>	<b>40,5</b>	<b>41,5</b>	<b>42</b>	<b>42,5</b>	<b>43</b>	<b>44</b>	<b>44,5</b>	<b>45</b>	<b>45,5</b>	<b>46,5</b>	<b>47,5</b>	<b>49</b>
<b>US</b>	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	13	14
<b>D (cm)</b>	9.9	10.0	10.1	10.2	10.4	10.5	10.6	10.7	10.8	10.9	11.0	11.2	11.4