



SPECIFICATIONS



ARTICLE

Designation : **Hose BIOVAST**

Code bobet :

26115 : D.16 / 40 M

30586 : D.19 / 40 M

30585 : D.19 / CUT

Selling Unit : **Meter**

Non-contractual pictures



CHARACTERISTICS

 FOOD & BEVERAGE			BIOVAST 				
DIAMÈTRE INTÉRIEUR mm	DIAMÈTRE EXTÉRIEUR mm	PRESSION DE SERVICE (VAPEUR) bar	PRESSION DE SERVICE (EAU) bar	PLNE bar	RAYON DE COURBURE mm	POIDS kg/m	LONGUEUR m
16.0 ±1.0	26.0 ±1.0	6	20	60	85	0.43	40
19.0 ±1.0	31.0 ±1.0	6	20	60	100	0.59	40

Tolérance sur longueur : ±1% (norme ISO 1307).

- Tube: oil resistant food grade NBR, white, smooth
- Reinforcement: synthetic threads
- Coating: oil and weather resistant NBR/PVC, blue, smooth
- Temperature: Water: -20°C to +100°C, PS=20bar
- Saturated or overheated steam: +165°C/6bar

ADVANTAGES :

- A heavy-duty cleaning hose specially designed for dairies, meat processing, canneries, fish markets, etc.
- Very flexible
- Non-marking coating
- Resistant to animal and vegetable fats
- Without phthalates

APPLICATIONS :

- Intended for washing and cleaning operations in the food industry including steam cleaning up to 165°C
- Suitable for furling equipment
- Also suitable for the transfer of aqueous, acidic, alcoholic foodstuffs (up to 70%) or fatty liquids

STANDARDS :

Complies with EU regulations 1935/2004 and 2023/2006 relating to food contact and good practices

Complies with the decree of August 05, 2020 relating to rubber materials and objects intended to come into contact with foodstuffs



CARACTERISTIQUES ENVIRONNEMENTALES

Tuyau BIOVAST

Codes BOBET : 30586, 26115, 30585

Les impacts environnementaux de ce produit ont été analysés le long de son cycle de vie.



FABRICATION

- Fournisseur français
- Fabrication française