



SPECIFICATIONS



ARTICLE

Designation : **HYFLEX® 11423 glove**

Code bobet :

21107 : S.7

21108 : S.8

21109 : S.9

21110 : S.10

21115 : S.11

Selling Unit : **pair**

Non-contractual pictures



CHARACTERISTICS

- Seamless knitted glove, gauge 13 / Palm Coated / knitted cuff
- Palm Coated, Water-Based polyurethane and nitrile, polyamide, glass fiber
- Colour : grey and bright yellow
- Made from high performance and high visible fibers
- Water-based polyurethane and nitrile coating
- Silicone and DMF free
- Good resistance to abrasion and blade cutting
- Resistance to heat up to 100°C
- Indicator (orange pellet) corresponding to the level of protection against cutting (orange = level B)
- Length : 235 à 265 mm (depending on the size)

PERFORMANCES :

Outstanding comfort and dexterity / Lint free glove / Water-based process environmentally friendly innovative coating

APPLICATIONS :

Ideal for food industries, aeronautics, assembling metal parts and components, maintenance, cutting small dry or lightly oiled parts...

PACKAGING :

Bag of 12 paires and box of 144 pairs

STANDARDS :

Compliant with EU regulation 2016/425 relating to category III personal protective equipment

Complies with European standards:

- General requirements: EN ISO 21420:2020
- Mechanical risk: EN 388:2016 + A1:2018 4X32B
- Resistance to heat and flame: EN 407: 2020 X1XXXX
- Complies with the Order of August 5, 2020 relating to rubber materials and objects in contact with foodstuffs, food products and beverages



0493 EN ISO 21420 :
2020 Cat.III



EN388:2016 + A1:
2018 - 4X32B



EN 407 : 2020
X1XXXX

HyFlex® 11-423

FICHE D'INFORMATION SUR LA DURABILITÉ DES PRODUITS



ANSELL EARTH

Ansell Earth représente nos produits qui offrent des avantages environnementaux tout au long de leur cycle de vie.

Production

Fabriqué dans une usine :

- Running on 100% green electricity
- Certified by Intertek for diverting >99% of waste from landfill
- With accredited Environmental and Energy Management Systems

Conditionnement

- Plastic-free
- Recyclable
- Paperband made of responsibly sourced raw material



Production

Fabriqué dans une usine :

100%



> 99%

Running on 100% green electricity ¹
From onsite rooftop solar panels and a Green Power Purchase agreement with a local electricity provider

Certified by Intertek for diverting >99% of waste from landfill ²




With accredited Environmental and Energy Management Systems ³

Certified to ISO 14001:2015 and ISO 50001:2018 by SGS



Conditionnement



CARACTERISTIQUES ENVIRONNEMENTALES

Gant HYFLEX® 11423

Codes BOBET : 21108, 21109, 21110, 21107, 21115

Les impacts environnementaux de ce produit ont été analysés le long de son cycle de vie.



MATIERES PREMIERES

Emballage :

- Sans matière plastique
- Bande de papier fabriquée à partir de matières premières provenant de sources responsables

FABRICATION



Fabriqué dans une usine :

- Certifiée par Intertek pour avoir détourné plus de 99% des déchets de la décharge
- Fonctionnant à 100% d'énergie verte
- Certification de la gestion de l'environnement et de l'énergie



FIN DE VIE

Emballage :
- Recyclable