



SPECIFICATIONS

ARTICLE

Designation : **LIGHTOVER tunic apron with sleeve**

Code bobet :

26417 : 55x110, 1 left sleeve

26419 : 55x110, 2 sleeves

Selling Unit : **Unit**

Non-contractual pictures



CHARACTERISTICS



- Food-grade stainless steel chainmail

- Torso:

Wire diameter: 0.7 mm

Inner ring diameter: 5.6 mm


Outer ring diameter: 7 mm

- Sleeves:

Wire diameter: 0.5 mm


Inner ring diameter: 3 mm

Outer ring diameter: 4 mm



* Code 26417 - Dimensions: L. 55 x 110 cm - Weight: 2.770 kg: Suitable for individuals under 2.20 meters tall with a chest circumference less than 120 cm

* Code 26419 - Dimensions: L. 55 x 110 cm - Weight: 3.330 kg: Suitable for individuals under 2.20 meters tall with a chest circumference less than 120 cm



- Strap attachment points on the tunic are stainless steel plates

- Equipped with a back strap and a 100% polyurethane waist strap (food contact compliant with EU Regulation 10/2011) and polyacetal buckles

- Wrist tightening with stainless steel springs protected in a hem

- Option to add an over-apron for maximum hygiene and ease of cleaning

- Blank stainless steel plate on the back (custom engraving available upon request)

- Equipped with snaps for attaching a chainmail glove with shoulder cuff (MANULATEx® brand)

PERFORMANCES :

The LIGHTOVER tunic, made of 100% food-grade stainless steel, is used in the meat industry, catering establishments, supermarkets, the textile industry, and many other sectors. It provides protection against cuts, stabs from hand knives, or other hand-held cutting tools.

RECOMMENDED STORAGE / APPLICATION :

Forced drying by hot air ventilation or natural drying in a dry, well-ventilated area

Store in a cool, dry place

WASH :

- PPE can be cleaned using a suitable cleaning gun, by soaking, vigorous brushing, or in a washing machine. In all cases, the water with added product must be at a maximum temperature of 63°C. Note that the product's technical data sheet specifies a maximum water temperature, which may be lower. Particular attention must be paid to dosage and temperature when using alkaline, chlorinated, or acidic products. Use only products authorized by veterinary services. The use of high doses of chlorine at high temperatures is not recommended.

- High-temperature disinfection can be carried out in clear water at a minimum temperature of 82°C and a maximum temperature of 90°C, in a washing machine, by soaking, or by spraying.

STANDARDS :

Compliant with Regulation (EU) 2016/425 on personal protective equipment (category III)

Compliant with European standards:

- EN ISO 13688 (2013): Protective clothing - General requirements
- Protective clothing: EN ISO 13998:2003 - Level 2
- Torso: EN ISO 13998 (2003) Performance Level 2 (suitable for deboning operations)
- Sleeve(s): EN ISO 13998 (2003) Performance Level 1



ENVIRONMENTAL CHARACTERISTICS

LIGHTOVER tunic apron with sleeve

BOBET codes : 26419, 26417

The environmental impacts of this product have been analyzed throughout its life cycle.



MANUFACTURING

- French supplier
- Made in France

END OF LIFE



- 100% recyclable stainless steel