

SPECIFICATIONS

ARTICLE

Designation : **Modular drying cabinet**

Code bobet :

18759 : cabinet small model | **18765 : Support for boots**
18769 : cabinet big model | **18766 : Support for shoes**
18908 : cabinet big model SS | **18767 : Support for gloves**

Selling Unit : **Unit**

Non-contractual pictures



CHARACTERISTICS

This modular drying cabinet enables to store and dry the boots, shoes, clogs, gloves...

Modular : the supports are removable and interchangeable. They can receive either boots, shoes (or clogs) or gloves.

The warm air diffused by a heater ensures a good drying.

The drying time can be programmed. Working principle : to increase the room temperature of 15°C.

Adjustable drying time by a timer.

- Stainless steel structure NF EN 1.4307 (AISI 304L), 35 x 35 x 1.2 mm
- Stainless steel top and back NF EN 1.4307 (AISI 304L)
- 2 stainless steel racks and pinions welded on the back
- 4 adjustable feet D.60 mm, blue polyurethane base, stainless steel threaded shaft D.12 mm, mounted on stainless steel base pieces welded on the base, adjustment height 40 mm
- Closing with transclear straps 190 x 2 mm (for the cabinets code 18759 and 18769)
- The cabinet code 18908 is entirely in stainless steel. Closing with 2 stainless steel doors (with lock)

DIMENSIONS

Code Bobet 18759 (small model) :

- Overall length : 1191 mm
- Overall width : 622 mm
- Overall height : 1437 mm
- Weight : 52 kg

Code Bobet 18769 (big model) :

- Overall length : 1191 mm
- Overall width : 622 mm
- Overall height : 2390 mm
- Weight : 74 kg

Code Bobet 18908 (big model) :

- Overall length : 1025 mm
- Overall width : 722 mm
- Overall height : 2390 mm

- Weight : 135 kg

ELECTRICAL CHARACTERISTICS

- Heating element capacity : 1000 W
- Voltage : 230V single-phase + earth
- Protection index : IP 55

OTHER CHARACTERISTICS

- Fan output : 40 m3/hour

This modular drying cabinet is delivered with : 4 adjustable feet, polyurethane base and stainless steel stems, 1 electrical box, 2 meters of supply cable, 1 deodorant diffuser, 1 instruction manual

The installation of this cabinet requires :

- One 230 V single-phase + earth, 16 A supply, protected by a 30 mA differential circuit breaker

The cabinet is sold with two racks which can receive the following support :

- * Code Bobet : 18765 - Support for 3 pairs of boots
- * Code Bobet : 18766 - Support for 3 pairs of shoes
- * Code Bobet : 18767 - Support for 6 pairs of gloves

ATTENTION : The supports are separately sold

The cabinet code 18759 can receive 4 supports

The cabinets code 18769 or 18908 can receive 8 supports

The dimensional data may change.

ALIMENTARITY :

To ensure durability, our products are manufactured in austenitic stainless steel (food grade approved), standard AISI 1.4307 (304L).

Manufactured in our own Production Department under protected atmosphere and in accordance with the welding process "T.I.G".

