SPECIFICATIONS

ARTICLE
Designation : **SmartOne® T9 Toilet Paper**
Code bobet : **26045**
Selling Unit : **Unit**

Non-contractual pictures

CHARACTERISTICS

Tork SmartOne® Mini Toilet Roll Dispenser

The Tork SmartOne® Mini Toilet Roll Dispenser dispenses one sheet of toilet paper at a time, reducing consumption by up to 40% compared to traditional jumbo roll dispensers and covering more visits per roll. Tork SmartOne® Mini high capacity rolls are suitable for demanding washrooms with low, medium or high traffic, depending on the Tork SmartOne® Mini dispenser chosen

- System: T9
- Roll length: 111.6 meters
- Roll width: 13.4 cm
- Roll diameter: 14.9 cm
- Number of sheets: 620
- Sheet length: 18 cm
- Weight: 0.492 kg
- Core inner diameter: 4.4 cm
- Ply: 2
- Colour: white

- Fast disintegration and reduced consumption minimize the risk of blockages
- SmartCore® core, for easy and quick removal when reloading
- High capacity: less maintenance and risk of running out of paper
- Smooth and bright paper for a long-lasting print

Compatible with our single (BOBET code 26046) or double (BOBET code 26047) Tork SmartOne® Mini Dispenser

PACKAGING :

Sold in plastic bags of 12 rolls (pallet of 48 bags)

BOBET matériel
Nous équipons les industriels depuis 1978

CARACTERISTIQUES ENVIRONNEMENTALES

Papier toilette SmartOne® T9

Code BOBET : 26045

Les impacts environnementaux de ce produit ont été analysés le long de son cycle de vie.

MATIERES PREMIERES

- Ce produit est fabriqué à partir de fibres recyclées
- Consommables certifiés Écolabel européen : impact environnemental réduit tout au long du cycle de vie du produit
- Consommables certifiés FSC® : composés de fibres d'origine contrôlée

FABRICATION

- Fabriqué en France
- Fabriqué dans une usine certifié ISO 140001

UTILISATION

- Réduisez la consommation de papier toilette jusqu'à 40 %
- Tork SmartOne® a une empreinte carbone moyenne « du berceau à la tombe » de 3,8 g d'équivalents CO2 par utilisation, avec une part « du berceau au départ de l'usine » de 2,6 g d'équivalents CO2 par utilisation